



999.00 EUR
incl. 19% VAT, plus [shipping](#)

- Fanless !
- IP65 Front !
- POE !
- Android !

Support:  [Specifications](#)

- 10.1" 300 nits TFT LCD with LED backlight
- Onboard DDR3L 1333 2GB DRAM
- Onboard 8G Flash ROM
- Strong solid aluminum frame design and Fanless cooling system
- Design for easy Wall mount, Panel Mount, VESA Mount installation
- A true Flat, easy-to-clean front surface with edge-to-edge design
- Front IP65 for protection against water and dust
- Front bezel meets IP65-rated protection
- Support PoE input
- Jetway also provides 13.3" and 15" Panel PC models, for other sizes please contact sales for more details

Display	
Front Bezel	– IP65, NEMA 4 rugged protection, metal front bezel
Display Type	– 10.1" With LED Backlight
Brightness (cd/m²)	– 300 nits
Display Color	– 262K
Resolution	– 1920 x 1200 @ 60Hz
Viewing Angle (H/V)	– 140°/140°
Pixel Pitch	– 0.03775 x 0.03775 mm
Aspect Ratio	– 16:10
Contrast Ratio	– 500:1
Response Time	– 60 ms
Touch Screen	
Type	– projected capacitive type
Active Range	– 257.10 x 159.66mm ±0.2mm
Transparency	– ■87%
Operating Force	– ■50g
Surface Hardness	– ■6H (ASTM D3363, pressure 1N/45°))
Operating Temperature	– -10 ~ +60° C
CASE	
Panel Material	– Aluminum
Case Material	– Iron
Color	– Black
Coating Requirement	– Spray Paint
Main System	
CPU	– Rock Chip® ARM Cortex A17 1.8GHz/QC
RAM	– 2G DDR3L
Flash ROM	– 8G Flash ROM
Watchdog Timer	– 256 levels, 0~255 sec.
Speaker	– 2* 2W/8Ohm
OS Support	– Android 5.1
I/O Connector	
I/O Ports and Switches	– 1* USB2.0 – 1* OTG – 1* PoE PD
PoE	
Regulatory Compliance	– IEEE802.3af (PoE)
Input Power	– 44~57V
Pass Through Data Rates	– 10/100/1000 Mbps
Power Consumption	– 8.5W
Dimension	
Case Dimensions	– 259.3*177.3*34.5mm
Certifications	
Certifications	– CE, FCC, IP65(Front)-Option
Environment	

Temperature	– Operating: -10 ~ 50° C – Storage: -20 ~ 60° C
Shock	– Operating: 15G■11ms duration
Vibration	– Operating: 5~500Hz/1 Grms
Warranty	
Warranty	– 2 Years Limited Warranty (Panel and Touch are only 1 Year Warranty)